


IN THE CLAIMS

**Claim 1 (currently amended).** A pressure-sensitive adhesive composition comprising polymers, copolymers, or both, based at least predominantly on (meth)acrylic acid, derivatives thereof, or both, wherein said composition ~~possesses an outgassing level of not more than 50 µg/g in total~~ comprises a residual volatile component fraction of in total less than 50 µg/g in total, as measured by the tesa method.

**Claim 2 (previously presented).** The pressure-sensitive adhesive composition as claimed in claim 1, wherein the polymers, copolymers or both are prepared using at least the following monomers:

- (a) from 65 to 100% by weight of acrylic acid derivatives, methacrylic acid derivatives, or both, of the general formula



where R<sub>1</sub> = H or CH<sub>3</sub> and R<sub>2</sub> = an alkyl chain of 2 to 20 carbon atoms,

- (b) from 0 to 35% by weight of vinyl compounds containing functional groups.

**Claim 3 (currently amended).** A process for preparing a pressure-sensitive adhesive composition as claimed in claim 1, using a polyacrylate solution obtainable by free-radical addition polymerization, which comprises  
a concentration step in which

- ◆ after polymerization, an entrainer is added to the polyacrylate solution,
- ◆ the entrainer-admixed polyacrylate solution is passed into an extruder in which said solution is subjected to a carrier distillation,
- ◆ in at least one further step following concentration, a postpurification step is conducted by adding the same entrainer again, or a further entrainer, to the concentrated polyacrylate composition and carrying out a further carrier distillation in the extruder,
- ◆ the concentration thus produces a polyacrylate composition which is processed further from the melt.

**Claim 4 (canceled).**

Claim 5 (previously presented). The process as claimed in claim 3 or 4, wherein at least the extruder in the concentration step is a corotating or counterrotating twin-screw extruder.

Claim 6 (previously presented). The process as claimed in claim 3 or 4, wherein steam is used as entrainer.

Claim 7 (previously presented). The process as claimed in claim 3 or 4, wherein

- ◆ the concentrated polyacrylate composition is applied to a backing material
- ◆ and the polyacrylate composition on the backing material is subjected to a crosslinking reaction.

Claim 8 (previously presented). The process as claimed in claim 7, wherein crosslinking is carried out using UV light in a wavelength range from 250 to 400 nm, with the proviso that the output of light in the wavelength range from 300 to 400 nm makes up at least 70% of the total irradiated light output.

Claim 9 (previously presented). An adhesive tape comprising a backing material having a pressure-sensitive adhesive composition as claimed in claim 1 or 2 applied to one or both sides.

Claim 10 (previously presented). The adhesive tape as claimed in claim 9, comprising a backing material having an outgassing tendency of less than 5 µg/g.

Claim 11 (currently amended). The pressure-sensitive adhesive composition of claim 1, wherein said ~~outgassing level~~ volatile component fraction is less than 10 µg/g.

Claim 12 (previously presented). The process of claim 4, wherein said further carrier distillation is conducted at higher temperatures and lower vacuums than the preceding distillation.

Claim 13 (previously presented). The process of claim 8, wherein the light in the wavelength range of 300 to 400 nm makes up at least 90% of the total irradiated light output.—

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**

---